

### **Listing of the Claims**

1. (Currently Amended) A method for directing a mobile user to a wireless network access point comprising:

receiving a mobile user request for a location of a wireless network access point via a user terminal, wherein the user request comprises ~~non-communication amenities~~ one or more amenities including one or more of a hotel, a restaurant, a store, a park and an airport;

identifying a geographic location of the mobile user responsive to receiving the user request; and

identifying a wireless network access point convenient to the user that provides access to the one or more amenities ~~communication amenities~~.

2. (Original) The method of Claim 1, further comprising communicating the identified wireless network access point to the user.

3. (Original) The method of Claim 1, wherein identifying a geographic location of the mobile user comprises locating a wireless communications signal from the user terminal.

4. (Original) The method of Claim 1, wherein identifying a wireless network access point comprises comparing the geographic location of the user to known locations of a plurality of access points.

5. (Original) The method of Claim 4, wherein identifying a wireless network access point comprises:

calculating a travel time between the user location and each of the plurality of wireless

network access points; and

selecting one of the plurality of wireless network access points having the shortest travel time.

6. (Original) The method of Claim 5, wherein calculating a travel time is based on distance and road conditions.

7. (Original) The method of Claim 6, wherein road conditions comprise real-time traffic conditions.

8 (Canceled)

9. (Currently Amended) The method of Claim 1, wherein the ~~non-communications~~ amenities include a type of facility and/or service available in the vicinity of the wireless network access point.

10. (Previously Presented) The method of Claim 1, wherein the user request includes a particular service provider associated with the wireless network;

wherein identifying a wireless network access point further comprises identifying a wireless network access point provided by the particular service provider.

11. (Original) The method of Claim 1, further comprising communicating directions from the user location to the selected wireless network access point.

12. (Currently Amended) The method of Claim 1, further comprising communicating information concerning ~~non-communication~~ amenities to the user terminal.

13. (Original) The method of Claim 1, wherein the wireless network is a broadband wireless network.

14. (Original) The method of Claim 13, wherein the broadband wireless network is a Wireless Fidelity ("Wi-Fi") network.

15. (Original) The method of Claim 1, wherein the user terminal is a mobile communications device.

16. (Original) The method of Claim 1, wherein the user terminal is a computer processor terminal.

17. (Currently Amended) A system for directing a mobile user to a wireless network access point comprising:

means for receiving a mobile user request for a location of a wireless network access point via a user terminal, the user request further comprising ~~non-communication amenities~~ one or more amenities including one or more of a hotel, a restaurant, a store, a park and an airport;

means for identifying a geographic location of the mobile user responsive to receiving the user request; and

means for identifying a wireless network access point convenient to the user that provides access to the requested ~~non-communication~~ amenities.

18. (Original) The system of Claim 17, wherein the means for identifying a wireless network access point comprises comparing the geographic location of the user to known locations of a plurality of access points.

19. (Original) The system of Claim 18, wherein the means for identifying a wireless network access point comprises:

means for calculating a travel time between the user location and each of the plurality of wireless network access points; and

means for selecting one of the plurality of wireless network access points having the shortest travel time.

20. (Currently Amended) A computer program product for directing a mobile user to a wireless network access point, the computer program product being encoded on a computer readable medium having computer readable program code embodied therein, the computer program product comprising:

computer readable program code that receives a mobile user request for a location of a wireless network access point via a user terminal, the user request further comprising ~~non-communication amenities~~ one or more amenities including one or more of a hotel, a restaurant, a store, a park and an airport;

computer readable program code that identifies a geographic location of the mobile user responsive to receiving the user request; and

computer readable program code that identifies a wireless network access point convenient to the user that provides access to the requested ~~non-communication~~ amenities.

21 (Original) The computer program product of Claim 20, wherein the computer readable program code that identifies a wireless network access point comprises computer readable program code that compares the geographic location of the user to known locations of a plurality of access points.

22. (Original) The computer program product of Claim 21, wherein the computer readable program code that identifies a wireless network access point comprises:

computer readable program code that calculates a travel time between the user location and each of the plurality of wireless network access points; and

computer readable program code that selects one of the plurality of wireless network access points having the shortest travel time.